Das Kundenfahrzeug

Zusatzmaterial zur Reihe Kfz SMART lernen



© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok



© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok



© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok



© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

B	25.06.2018	2.1	8004	2.2	ASS000438	L	2	9	1	P.2 P.4	70/5000	T	187
J	M1	4	AC			18	4257 - 4359			19	1732 - -		
E	TMBJP6NJ7JZ201850	3	9			20	1452 - 1503			G	1134 - -		
D.1	SKODA					12	-	13	50	Q	-		
D.2	5J					V.7	101	F.1	1589	F.2	1589		
	ACCHZBX01					7.1	810	7.2	820	7.3	-		
	NFM5FM5DF002N617					8.1	810	8.2	820	8.3	-		
						U.1	74	U.2	3750	U.3	69		
D.3	FABIA					O.1	1000	O.2	560	S.1	5	S.2	-
2	SKODA (CZ)					15.1	175/70 R14 84T						
5	Fz.z.Pers.bef.b. 8 Spl. Kombilimousine					15.2	175/70 R14 84T						
						15.3	-						
V.9	715/2007*2016/646W					R	GRAU			11	7		
14	EURO6;W;PI/CI; M, N1 I					K	e8*2007/46*0319*00						
P.3	Benzin					6	26.03.2018	17	K	16	FA707544		
10	0001	14.1	36W0	P.1	999	21							
22	7.2/8.2:+8 B.ANHÄNGEBETRIEB*TECHN.ZUL.GES-MASSE D.ZUGKOMBINATION:2589KG*WW.AHK LT.EGTG*DATUM ZUR EMISSIONSKLASSE: 25.06.2018***												

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

Zur Beachtung!

Die Angaben müssen ständig den tatsächlichen Verhältnissen entsprechen. Änderungen sind der zuständigen Zulassungsbehörde nach Maßgabe der für die Fahrzeugzulassung geltenden Rechtsvorschriften anzuzeigen.

Bei Veräußerung des Fahrzeugs sind dem Erwerber gegen Empfangsbescheinigung die Zulassungsbescheinigung Teil I und Teil II auszuhändigen. Die Empfangsbescheinigung muss den Namen und die Anschrift des Erwerbers vollständig enthalten und ist vom Veräußerer unverzüglich der Zulassungsbehörde vorzulegen.

Unterlassung der vorgeschriebenen Meldepflichten (Abmeldung, Umschreibung bei Erwerb oder Umzug in einen anderen Zulassungsbezirk, Meldung anderer Veränderungen) kann durch Geldbußen geahndet werden.

Definition der Felder:

Feld	Bezeichnung
B	Datum der Erstzulassung des Fahrzeugs
D.1	Marke
D.2	Typ/Variante/Version
D.3	Handelsbezeichnung(en)
E	Fahrzeug-Identifizierungsnummer
F.1	Technisch zulässige Gesamtmasse in kg
F.2	Im Zulassungsmitgliedstaat zulässige Gesamtmasse in kg
G	Masse des in Betrieb befindlichen Fahrzeugs in kg (Leermasse)
H	Gültigkeitsdauer
I	Datum dieser Zulassung
J	Fahrzeugklasse
K	Nummer der EG-Typgenehmigung oder ABE
L	Anzahl der Achsen
O.1	Technisch zulässige Anhängelast gebremst in kg
O.2	Technisch zulässige Anhängelast ungebremst in kg
P.1	Hubraum in cm^3
P.2/P.4	Nennleistung in kW/Nenndrehzahl bei min^{-1}
P.3	Kraftstoffart oder Energiequelle
Q	Leistungsgewicht in kW/kg (nur bei Krafträdern)
R	Farbe des Fahrzeugs
S.1	Sitzplätze einschließlich Fahrersitz
S.2	Stehplätze
T	Höchstgeschwindigkeit in km/h
U.1	Standgeräusch in dB (A)
U.2	Drehzahl in min^{-1} zu U.1
U.3	Fahrgeräusch in dB (A)
V.7	CO_2 (in g/km) kombinierter Wert
V.9	Für die EG-Typgenehmigung maßgebliche Schadstoffklasse
(2)	Hersteller-Kurzbezeichnung
(2.1)	Code zu (2)
(2.2)	Code zu D.2 mit Prüfziffer
(3)	Prüfziffer zur Fahrzeug-Identifizierungsnummer
(4)	Art des Aufbaus
(5)	Bezeichnung der Fahrzeugklasse und des Aufbaus
(6)	Datum zu K
(7)	Technisch zulässige maximale Achslast/Masse je Achsgruppe in kg (7.1) Achse 1 bis (7.3) Achse 3
(8)	Zulässige maximale Achslast im Zulassungsmitgliedstaat in kg (8.1) Achse 1 bis (8.3) Achse 3
(9)	Anzahl der Antriebsachsen
(10)	Code zu P.3
(11)	Code zu R
(12)	Rauminhalt des Tanks bei Tankfahrzeugen in m^3
(13)	Stützlast in kg
(14)	Bezeichnung der nationalen Emissionsklasse
(14.1)	Code zu V.9 oder (14)
(15)	Bereifung (15.1) auf Achse 1 bis (15.3) auf Achse 3
(16)	Nummer der Zulassungsbescheinigung Teil II
(17)	Merkmal zur Betriebserlaubnis
(18)	Länge in mm
(19)	Breite in mm ohne Spiegel und Anbauteile
(20)	Höhe in mm
(21)	Sonstige Vermerke
(22)	Bemerkungen und Ausnahmen

Hinweis zu Feld (15.1) bis (15.3):
Andere als die angegebenen Bereifungen können im Rahmen der gültigen Typ- oder Einzelgenehmigung am Fahrzeug angebracht werden. Ein zusätzliches Gutachten und die Änderung oder Neuausstellung der Zulassungsbescheinigung Teil I ist hierfür nicht erforderlich.

ZBI 242992774

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

ŠKODA

EC CERTIFICATE OF CONFORMITY

Complete vehicles.

The undersigned Dr. Ing. Florian Weymar, Head Whole Vehicle Development
hereby certifies that the vehicle

0.1. Make (Trade name of manufacturer):	SKODA
0.2. Type:	5J
Variant:	ACCHZBX01
Version:	NFM5FM5DF002N617
0.2.1. Commercial name:	FABIA
0.4. Vehicle category:	M1
0.5. Company name and address of manufacturer:	SKODA AUTO a.s. tr. Vaclava Klementa 869 Mlada Boleslav II 293 01 Mlada Boleslav CZ
0.6. Location and method of attachment of the statutory plates:	on the left opt. right B - pillar, pasted
Location of the vehicle identification number:	right hand side of engine compartment
0.10. Vehicle identification number:	TMBJP6NJ7JZ201850
conforms in all respects to the type described in approval issued on 2018-03-26 and	e8*2007/46*0319*00

can be permanently registered in Member States having right hand traffic
and using metric units for the speedometer

Mlada Boleslav, 09.06.2018

Dr. Ing. Florian Weymar

Head Whole Vehicle Development

Internal manufacturer's data

Original

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

1. Number of axles / wheels:	2 / 4
3. Number of powered axles	1
Position of powered axles:	Axle 1
Interconnection of powered axles:	----------
	----------
4. Wheelbase [mm]:	2455
4.1. Axle spacing [mm]:	2455
5. Length [mm]:	4257
6. Width [mm]:	1732
7. Height [mm]:	1452
13. Mass in running order [kg]:	1134
13.2. Actuall mass of the vehicle [kg]:	1176
16. Technically permissible maximum masses	
16.1. Technically permissible maximum laden mass [kg]:	1589
16.2. Technically permissible mass on each axle (1./2.) [kg]:	810 / 820
16.4. Technically permissible maximum mass of the combination [kg]:	2589
18. Technically permissible maximum towable mass in case of	
18.1. Drawbar trailer [kg]:	-----
18.3. Centre-axle trailer [kg]:	1000
18.4. Unbraked trailer [kg]:	560
19. Technically permissible maximum static vertical mass at the coupling point [kg]:	50
20. Manufacturer of the engine:	Volkswagen AG
21. Engine code as marked on the engine:	*CHZ??????*
22. Working principle:	Positive ignition/ 4 stroke
23. Pure electric:	no
23.1. Class of Hybrid [electric] vehicle:	no
24. Number and arrangement of cylinders:	3; in line
25. Engine capacity [cm^3]:	999
26. Fuel:	petrol
26.1. Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
27. Maximum power	
27.1. Maximum net power [kW at min^{-1}] (internal combustion engine):	70.00 / 5000
27.2. Maximum hourly output [kW] (electric motor):	-------
27.3. Maximum net power [kW] (electric motor):	-------
27.4. Maximum 30 minutes power [kW] (electric motor):	-------
29. Maximum speed [km/h]:	187
30. Axle(s) track (1./2.) [mm]:	1441 /1435

35. Tyre/wheel combination/Rolling Resistance Class (if applicable)

Axle 1:	175/70 R14 84T	/ 5Jx14 ET35	/ ---
Axle 2:	175/70 R14 84T	/ 5Jx14 ET35	/ ---

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

36. Trailer brake connections:	not exist		
38. Code for bodywork:	AC		
40. Colour of vehicle:	grey		
41. Number and configuration of doors:	4; 2 left; 2 right		
42. Number of seating positions (includ. the driver):	5		
42.1. Seat(s) designated for use only when the vehicle is stationary:	---		
42.3. Number of wheelchair user accessible position:	---		
46. Sound level			
Stationary [dB(A) at min^{-1}]:	74.00 / 3750		
Drive-by [dB(A)]:	69.00		
47. Exhaust emission level [Euro]:	EURO 6 W		
47.1. Parameters for emission testing			
47.1.1. Test mass [kg]:	------		
47.1.2. Frontal area [m^2]:	--------		
47.1.3. Road load coefficients			
47.1.3.0. f0 [N]:	--------		
47.1.3.1. f1 [N/(km/h)]:	--------		
47.1.3.2. f2 [N/$(km/h)^2$]:	---------		
48. Exhaust emissions:	715/2007*2016/646W		
1.2. Test procedure: Type 1 (NEDC average values, WLTP highest values) or WHSC (EURO VI)			
CO [mg/km] / [mg/kWh]:	211.3	--------	--------
THC [mg/km] / [mg/kWh]:	60.6	--------	--------
NMHC [mg/km]:	53.8	--------	--------
NO_x [mg/km] / [mg/kWh]:	21.1	--------	--------
THC + NO_x [mg/km]:	--------	--------	--------
NH_3 [ppm]:	--------	--------	--------
Particulates (mass) [mg/km] / [mg/kWh]:	0.8100	--------	--------
Particles (number) [#/km] / [#/kWh]:	1.65	----	----
Particles exponent:	12	--	--
2.2. Test procedure WHTC (EURO VI)			
CO [mg/kWh]:	--------	--------	--------
THC [mg/kWh]:	--------	--------	--------
NMHC [mg/kWh]:	--------	--------	--------
CH_4 [mg/kWh]:	--------	--------	--------
NO_x [mg/kWh]:	--------	--------	--------
NH_3 [ppm]:	--------	--------	--------
Particulates (mass) [mg/kWh]:	--------	--------	--------
Particles (number) [#/kWh]:	----	----	----
Particles - exponent:	--	--	--
48.1. Smoke (corrected absorption coefficient) [m^{-1}]:	--------		

48.2. Declared maximum RDE values (if applicable)	NOx	Particles (number)
Complete RDE trip:	----------	E
Urban RDE trip:	----------	E

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok

49. CO_2 emissions/fuel consumption/electric energy consumption

1. All power trains except pure electric vehicles (if applicable)

NEDC values	CO_2 emissions [g/km]			Fuel cons. [l/100 km] or [m³/100 km] or [kg/100 km		
Urban conditions:	120	----	----	5.2	----	----
Extra-urban conditions:	91	----	----	3.9	----	----
Combined:	101	----	----	4.4	----	----
Weighted, combined:	----	----	----	----	----	----

Deviation factor (if applicable): -------

Verification factor (if applicable): -

2. Pure electric vehicles and OVC hybrid electric vehicles (if applicable)

Electric energy consumption (weighted, combined) [Wh/km]: ------

Electric range [km]: ------

3. Vehicle fitted with eco-innovation(s): no

3.1. General code of the eco-innovation(s): ----------

3.2. Total CO_2 emissions savings due to the eco-innovation(s) [g/km]

3.2.1. NEDC savings (if applicable)		3.2.2. WLTP savings (if applicable)	
Diesel / Petrol:	----	Diesel / Petrol:	----
LPG / NG:	----	LPG / NG:	----
Others:	----	Others:	----

4. All power trains, except pure electric vehicles (if applicable)

WLTP values	CO_2 emissions [g/km]			Fuel consumption [l/100 km] or [m³/100 km] or [kg/100		
Low:	----	----	----	----	----	----
Medium:	----	----	----	----	----	----
High:	----	----	----	----	----	----
Extra High:	----	----	----	----	----	----
Combined:	----	----	----	----	----	----
Weighted, combined:	----	----	----	----	----	----

5.1. Pure electric vehicles (if applicable)		5.2. OVC hybrid electric vehicles (if applicable)	
Electric energy consump. [Wh/km]:	--------	Electric energy consumption ($EC_{AC,weighted}$) [Wh/km]:	------
Electric range [km]:	-----	Electric range (EAER) [km]:	-----
Electric range city [km]:	-----	Electric range (EAER city) [km]:	-----

51. For special purpose vehicles:

Designation in accordance with Annex II, Section 5: ----------

52. Remarks:

#NO 16.2.: max Anhaenger Achse 2:+8 kg
NO 30.: A2 max.1457 mm
A1 max.1463 mm
NO 35.: 185/60 R15 84H#6Jx15 ET38;
215/40 R17 87V #7Jx17 ET46;
215/45 R16 86H #7Jx16 ET46;
165/70 R14 81T M+S#5Jx14 ET35;
185/60 R15 88H M+S#6Jx15 ET38;
195/55 R15 85H M+S#6Jx15 ET43;
195/55 R15 85H M+S#6Jx15 ET38
NO 5.: max 4359
NO 7.: max 1503;

© Westermann Gruppe

Bildnachweis: Tim Richter-Honsbrok